



Family owned and operated in Tucson since 1926!

EXAMPLES OF HAZARDOUS MATERIALS

COMBUSTIBLE LIQUIDS

Alcoholic beverages (any single container exceeding one gallon capacity)

Alcohols

Antifreeze compounds

Camphor Oil

Fluid Cleaners (containing combustible materials e.g. spot clothing cleaners and office machine cleaners)

CORROSIVE LIQUIDS

Acids – muriatic, nitric, photographic, sulfuric

Battery with acid

Disinfectants

Dyes

Flame retardant compounds

Iron/steel rust preventing/rust removing compounds

Paint and paint related materials

EXPLOSIVES

Ammunition

Black Powder

Blasting caps

Dynamite, plastics or any similar explosives

Explosive auto alarms

Fireworks

Fuse lighters

Igniters

Primers

Propellants

Signal Flares

Smokeless Powder

Souvenir explosive instruments of war

Sear guns having charged heads

Toy propellants or smoke devices

FLAMMABLES

Acetone
Adhesives (glues, cements and plastics)
Ammonia
Charcoal briquettes
Cleaning fluids
Compound 3 weed killers
Denatured alcohol
Enamel
Gasoline
Insecticides
Kerosene
Lacquer
Leather dressing or bleach
Lighter fluids (pocket, charcoal, camp stove, lamp or torch)
Liquors (any single container exceeding one gallon capacity)
Matches
Oil stains for woods
Paint
Paint or varnish remover
Petroleum products
Polishes, liquid (metal, stove, furniture and wood)
Propane or other gas used for cooking or heating purposes
Propane tanks
Shellac
Shoe polish (liquid)
Solvents, plastic
Stains
Turpentine
Varnish
Wood Filler

GASES, COMPRESSED

Engine starting fluids
Fire extinguishers
Gases used in welding
Scuba diving tanks (see note below)

AEROSOL CAN

Containing a flammable gas, flammable liquid, toxic, or Corrosive Substance

CHLORINATED HYDROCARBONS IN DECORATIVE LAMPS

OTHER REGULATED MATERIAL TERMED COMBUSTIBLE, CORROSIVE OR FLAMMABLE

NOTE 1: Only those scuba diving tanks containing not more than 25 pounds per square inch at 70 degrees Fahrenheit may be shipped as household goods or unaccompanied baggage. Servicing for shipment will include:

- a. Written certification of purging serviced by dive shop or licensed individual qualified to perform purging. A tag or label must be affixed to the tank certifying service was performed.
- b. Completely empty tank, remove the valve, and replace valve with plug designed for this purpose.

NOTE 2: Completely drain all fuel from engine power driven equipment. Drain equipment (motorcycle, moped, lawn mowers, boats and snowmobiles). Run until engine stalls. Drain all oil and water. Allow the fuel tank and lines to remain open for 24 hours prior to pickup. Disconnect nonspillable gel-type batteries and tape the ends to prevent short circuit. Only nonspillable gel-type batteries are authorized. The batteries may remain in the equipment holder, but ensure they remain upright when packed in the shipping container. Batteries with acid or alkali are prohibited from shipment.